

RALSON

TIRES ***TREAD NEW PATHS***

BICYCLE TIRE CATALOG



TREAD NEW PATH

FAMILY BUSINESS

Established in 1974 in Ludhiana, India, Ralson's mission has always been to enable mobility. Focusing on this essential goal has made it India's largest producer of bicycle tires, the number one exporter, and a reputable OEM partner. Deep rooted in its family mores, after 50 years in business the company has still been

heartily managed as if it was just established caring for associates and catering for the community. The inspirational and visionary leadership has nurtured Ralson's core values and ethical principles playing the fundamental role for the company's dominance and sustainable growth.

ENGINEERED IN EUROPE — MADE IN INDIA

Ralson's attentive and skilled tire building, innovation, own R&D, and industrious manufacturing with advanced technological expertise. Blending the innovation and unmatched attention to detail have crafted Ralson best suited for tackling the unconditional needs of the demanding international customers.

DETERMINATION

Mobility means responsibility. Best tires don't need to be pricy. Ralson's associates have been working hard to bring the most affordable tires to the market. Determined to support Ralson's distributors and the OEMs.

CONTENT

MTB	3
GRAVEL	6
ROAD	8
CITY/TOUR	10
KIDS & SPECIAL	14
PRODUCT RANGE	18
TUBES	23

MTB

Wide choice of sizes ranging from 26 x 1.95 to 29 x 2.45. Sport 60 TPI skinwall touring specifications. Optimized tread compounds. All flexible steel bead wired for rugged performance and ease of mounting. Ideal for OE fitments and relaxed riding. Ebike specific eReady technology optional. Ralson MTB and MTB Sport.



BLANC

Sidewall colors
● black



CARPATIAN

Sidewall colors
● black



THAR

Sidewall colors
● black



TEIDE

Sidewall colors
● black



VECTOR

Sidewall colors
● black



MTB SPORT
Flexible steel bead wire
60 TPI Skinwall casing

MTB
Flexible steel bead wire
20 TPI Fullwall casing

eReady
Undertread puncture
protected

Size	Metric	pattern	TPI	Sidewall	TR/TT	Bead	puncture protected	PP material	Tread color	Sidewall color	Special compound	Inflation (kPa)	Load (kg)	Weight (g)
29 x 2.45	62-622	Teide	60	Skinwall	TT	TW			black	black	O	350	140	980
29 x 2.45	62-622	Teide	20	Full	TT	TW			black	black	C	350	140	1 380
29 x 2.40	62-622	Blanc	60	Skinwall	TT	TW			black	black	O	400	125	930
29 x 2.40	60-622	Blanc	60	Skinwall	TT	TW	2	HE	black	black	O	450	110	1400
29 x 2.40	60-622	Blanc	20	Full	TT	TW			black	black	C	450	110	1370
29 x 2.40	60-622	Vector	20	Full	TT	TW	2	HE	black	black	C	400	115	1450
29 x 2.40	60-622	Vector	20	Full	TT	TW			black	black	C	400	115	1380
29 x 2.35	60-622	Carpatian	60	Skinwall	TT	TW			black	black	O	350	130	950
29 x 2.35	60-622	Carpatian	20	Full	TT	TW			black	black	C	350	130	1 310
29 x 2.25	57-622	Carpatian	60	Skinwall	TT	TW			black	black	O	315	140	900
29 x 2.25	57-622	Carpatian	20	Full	TT	TW			black	black	C	315	140	1 220
29 x 2.10	54-622	Carpatian	60	Skinwall	TT	TW			black	black	O	400	125	850
29 x 2.10	54-622	Carpatian	20	Full	TT	TW			black	black	C	400	125	1 110
29 x 2.10	54-622	Carpatian	20	Full	TT	TW	2	HE	black	black	C	400	125	1320
29 x 2.10	54-622	Teide	60	Skinwall	TT	TW			black	black	O	350	125	890
29 x 2.10	54-622	Teide	20	Full	TT	TW			black	black	C	350	125	1 170
29 x 2.10	54-622	Teide	20	Full	TT	TW	2	HE	black	black	C	350	125	1320
29 x 2.10	54-622	Thar	60	Skinwall	TT	TW			black	black	O	400	115	915
29 x 2.10	54-622	Thar	60	Skinwall	TT	TW	2	HE	black	black	O	400	115	980
29 x 2.10	54-622	Thar	20	Full	TT	TW			black	black	C	400	115	1170
27.5 x 2.35	60-584	Carpatian	60	Skinwall	TT	TW			black	black	O	350	130	900
27.5 x 2.35	60-584	Carpatian	20	Full	TT	TW			black	black	C	350	130	1 230
27.5 x 2.35	60-584	Blanc	60	Skinwall	TT	TW	2	HE	black	black	O	450	110	930
27.5 x 2.35	60-584	Blanc	60	Skinwall	TT	TW			black	black	O	450	110	1230
27.5 x 2.35	60-584	Blanc	20	full	TT	TW			black	black	C	450	110	1290
27.5 x 2.35	60-584	Vector	20	Full	TT	TW	2	HE	black	black	C	400	115	1360
27.5 x 2.35	60-584	Vector	20	Full	TT	TW			black	black	C	400	115	1280
27.5 x 2.10	54-584	Teide	60	Skinwall	TT	TW			black	black	O	400	120	780
27.5 x 2.10	54-584	Teide	20	Full	TT	TW			black	black	C	400	120	1 100
27.5 x 2.10	54-584	Teide	20	Full	TT	TW	2	HE	black	black	C	400	120	1240
27.5 x 2.10	54-584	Thar	60	Skinwall	TT	TW	2	HE	black	black	O	400	115	830
27.5 x 2.10	54-584	Thar	60	Skinwall	TT	TW			black	black	O	400	115	830
27.5 x 2.10	54-584	Thar	20	Full	TT	TW			black	black	C	400	115	1290
26 x 2.10	54-559	Carpatian	20	Full	TT	TW			black	black	C	350	115	1 060
26 x 2.10	54-559	Thar	60	Skinwall	TT	TW			black	black	O	400	115	820
26 x 2.10	54-559	Thar	20	Full	TT	TW			black	black	C	400	115	1060
26 x 2.10	54-559	Thar	20	Full	TT	TW			black	white	C	400	115	1120
26 x 2.10	54-559	Vector	20	Full	TT	TW			black	black	C	400	115	1200
26 x 2.10	54-559	Vector	20	Full	TT	TW	2	HE	black	black	C	400	115	1250
26 x 1.95	50-559	Blanc	20	Full	TT	TW			black	black	C	450	110	1050
26 x 1.95	50-559	Blanc	20	Full	TT	TW	2	HE	black	black	C	450	110	1150
26 x 2.10	54-559	Blanc	60	Skinwall	TT	TW			black	black	O	400	125	800
26 x 2.10	54-559	Blanc	60	Skinwall	TT	TW	2	HE	black	black	O	400	125	840
26 x 2.10	54-559	Blanc	20	Full	TT	TW			black	black	C	400	125	1110

TT - Tube type TW - Twisted steel wire HE - Highly elastic compound O - Optimal compound C - Classic compound

GRAVEL

Sport 60 TPI skinwall for paved roads, light terrain and gravel
All flexible steel bead wired for fine performance and ease of mounting. Ideal for OE fitments and comfortable riding.
Ebike specific eReady technology.
Ralson Gravel Sport.



NAMIB

Sidewall colors
● black



THAR

Sidewall colors
● black



GRAVEL SPORT
Flexible steel bead wire
60 TPI Skinwall casing

eReady
Undertread puncture
protected

Size	Metric	Pattern	TPI	Sidewall	TR/TT	Bead	puncture protected	PP material	Tread color	sidewall color	Special compound	Inflation (kPa)	Load (kg)	Weight (g)
700 x 45C	47-622	Thar	60	Skinwall	TT	TW	2	RC	black	black	O	350	125	940
700 x 40C	42-622	Namib	60	Skinwall	TT	TW	2	RC	black	black	O	520	115	840
700 x 40C	42-622	Thar	60	Skinwall	TT	TW	2	RC	black	black	O	520	115	870
700 x 35C	37-622	Namib	60	Skinwall	TT	TW	2	RC	black	black	O	520	110	770
700 x 35C	37-622	Thar	60	Skinwall	TT	TW	2	RC	black	black	O	520	110	800

TT - Tube type TW - Twisted steel wire RC - Reclaimed compound O - Optimal compound

ROAD

Sport 60 TPI skinwall all-round tire for hobby riders. Optimized tread compounds for mileage and comfort. All flexible steel bead wired for smooth riding performance and ease of mounting. Ideal for OE fitments and comfortable riding. Ralson Road and Road Sport.



ARA

Sidewall colors
● black



ROAD SPORT
Flexible steel bead wire
60 TPI Skinwall casing

ROAD
Flexible steel bead wire
20 TPI Fullwall casing

Size	Metric	Pattern	TPI	Sidewall	TR/TT	Bead	Tread color	Sidewall color	Special compound	Inflation (kPa)	Load (kg)	Weight (g)
700 x 28C	28-622	Ara	60	Skinwall	TT	TW	black	black	O	700	78	480
700 x 28C	28-622	Ara	20	Full	TT	TW	black	black	C	700	78	600
700 x 25C	25-622	Ara	60	Skinwall	TT	TW	black	black	O	800	75	470
700 x 25C	25-622	Ara	20	Full	TT	TW	black	black	C	800	75	550
700 x 23C	23-622	Ara	60	Skinwall	TT	TW	black	black	O	800	73	420
700 x 23C	23-622	Ara	20	Full	TT	TW	black	black	C	800	73	480

TT - Tube type TW - Twisted steel wire O - Optimal compound C - Classic compound

CITY/TOUR

Wide range of patterns and sizes matching all needs of family rides, commuting and delivery. All robustly designed and constructed. All flexible steel bead wired for the ease of mounting. Ideal for OE fitments and safe city touring. Most available in tan color tones. Optimized for mobility. Ralson City and Tour.



ANT

Sidewall colors
● cream
● black



ATACAMA

Sidewall colors
● tan
● black



COLORADO

Sidewall colors
● white
● tan
● black



NAMIB

Sidewall colors
● tan
● black



PATAGONIAN

Sidewall colors
● tan
● black



TIRARI

Sidewall colors
● black



THAR

Sidewall colors
● tan
● black



size	Metric	pattern	TPI	Sidewall	TR/TT	Bead	Puncture protected	PP material	Reflective stripe	Tread color	Sidewall color	Special compound	Inflation (kPa)	Load (kg)	Weight (g)
29 x 2.00	52-622	Colorado	20	Full	TT	TW				black	black	C	450	110	1170
29 x 2.00	52-622	Colorado	20	Full	TT	TW	1	RC	HiVis Reflex	black	black	C	450	110	1210
29 x 2.00	52-622	Colorado	20	Full	TT	TW				black	cream	C	450	110	1170
29 x 2.00	52-622	Colorado	20	Full	TT	TW				black	white	C	450	110	1170
29 x 2.00	52-622	Colorado	20	Full	TT	TW	2	HE		black	black	C	450	110	1120
28 x 2.10	54-622	Tirari	20	Full	TT	TW				black	black	C	380	125	1200
26 x 2.00	52-559	Colorado	20	Full	TT	TW				black	black	C	450	110	1020
26 x 2.00	52-559	Colorado	20	Full	TT	TW	1	RC	HiVis Reflex	black	black	C	450	110	1070
26 x 2.00	52-559	Colorado	20	Full	TT	TW				black	cream	C	450	110	1020
26 x 2.00	52-559	Colorado	20	Full	TT	TW				black	white	C	450	110	1020
26 x 2.00	52-559	Colorado	20	Full	TT	TW	2	HE		black	black	C	450	110	1290
26 x 1.75 x 2	47-559	Tirari	20	Full	TT	TW				black	black	C	350	120	870
700 x 45C	47-622	Atacama	20	Full	TT	TW				black	tan	C	350	125	920
700 x 45C	47-622	Atacama	20	Full	TT	TW	2	HE		black	black	O	350	125	1110
700 x 45C	47-622	Atacama	20	Full	TT	TW				black	black	C	350	125	1000
700 x 45C	47-622	Namib	20	Full	TT	TW				black	black	C	350	125	970
700 x 45C	47-622	Patagonian	20	Full	TT	TW				black	black	C	350	125	970
700 x 45C	47-622	Patagonian	20	Full	TT	TW				black	tan	C	350	125	1000
700 x 45C	47-622	Thar	20	Full	TT	TW				black	tan	C	350	125	970
700 x 45C	47-622	Thar	20	Full	TT	TW				black	black	C	350	125	970
700 x 45C	47-622	Tirari	20	Full	TT	TW				black	black	C	350	125	970
700 x 45C	47-622	Tirari	20	Full	TT	TW	2	HE		black	black	C	350	125	1080
700 x 40C	42-622	Atacama	20	Full	TT	TW				black	tan	C	520	115	870
700 x 40C	42-622	Atacama	20	Full	TT	TW				black	black	C	520	115	860
700 x 40C	42-622	Atacama	20	Full	TT	TW	2	HE		black	black	O	520	115	930
700 x 40C	42-622	Namib	20	Full	TT	TW				black	tan	C	520	115	860
700 x 40C	42-622	Namib	20	Full	TT	TW				black	black	C	520	115	960
700 x 40C	42-622	Patagonian	20	Full	TT	TW				black	tan	C	520	115	810
700 x 40C	42-622	Patagonian	20	Full	TT	TW				white	white	C	520	115	910
700 x 40C	42-622	Patagonian	20	Full	TT	TW				cream	cream	C	520	115	910
700 x 40C	42-622	Patagonian	20	Full	TT	TW	2	HE		black	black	C	520	115	950
700 x 40C	42-622	Patagonian	20	Full	TT	TW				black	black	C	520	115	810
700 x 40C	42-622	Thar	20	Full	TT	TW				black	tan	C	520	115	860
700 x 40C	42-622	Thar	20	Full	TT	TW				black	black	C	520	115	860
700 x 38C	40-622	Ant	20	Full	TT	TW				black	cream	C	520	110	830
700 x 38C	40-622	Ant	20	Full	TT	TW				black	black	C	520	110	830
700 x 35C	37-622	Ant	20	Full	TT	TW				black	black	C	550	110	800
700 x 35C	37-622	Atacama	20	Full	TT	TW				black	tan	C	520	110	660
700 x 35C	37-622	Atacama	20	Full	TT	TW				black	black	C	520	110	650
700 x 35C	37-622	Atacama	20	Full	TT	TW	2	HE		black	black	C	520	110	900
700 x 35C	37-622	Namib	20	Full	TT	TW				black	tan	C	520	110	820
700 x 35C	37-622	Namib	20	Full	TT	TW				black	black	C	520	110	820
700 x 35C	37-622	Patagonian	20	Full	TT	TW				black	tan	C	520	110	800
700 x 35C	37-622	Patagonian	20	Full	TT	TW				black	black	C	520	110	800
700 x 35C	37-622	Thar	20	Full	TT	TW				black	tan	C	520	110	800
700 x 35C	37-622	Thar	20	Full	TT	TW				black	black	C	520	110	800
700 x 32C	32-622	Patagonian	20	Full	TT	TW				black	black	C	520	110	700
700 x 32C	32-622	Thar	20	Full	TT	TW				black	tan	C	650	90	640
700 x 32C	32-622	Thar	20	Full	TT	TW				black	black	C	650	90	640
700 x 28C	28-622	Patagonian	20	Full	TT	TW				black	black	C	520	110	540

TT - Tube type TW - Twisted steel wire RC - Reclaimed compound HE - Highly elastic compound

KIDS & SPECIAL

Specifically designed for the little ones and the young courageous performers with the safety and robustness in mind. Wide variety of sizes ranging from 10" to 24". All solidly designed and constructed for safe riding. All flexible steel bead wired for the ease of mounting. Ideal for OE fitments. Ralson Kids and Special. Rehab program optional.



ANT

Sidewall colors
● black



BUTTERFLY

Sidewall colors
● black



FIREFLY

Sidewall colors
● black



GRASSHOPPER

Sidewall colors
● black



MOTH

Sidewall colors
● black



TEIDE

Sidewall colors
● black



THAR

Sidewall colors
● black



TIRARI

Sidewall colors
● black



Size	Metric	pattern	TPI	Sidewall	TR/TT	Bead	Puncture protected	PP material	Reflective strip	Tread color	Sidewall color	Special compound	Inflation (kPa)	Load (kg)	Weight (g)
24 x 2.00	52-507	Teide	20	Full	TT	TW				black	black	C	420	105	930
24 x 2.00	52-507	Teide	20	Full	TT	TW	2	HE		black	black	C	420	105	940
24 x 1.95	50-507	Thar	20	Full	TT	TW				black	black	C	550	85	820
24 x 1.75 x 2	47-507	Grasshopper	20	Full	TT	TW				black	black	C	350	100	660
24 x 1.75 x 2	47-507	Grasshopper	20	Full	TT	TW	2	HE		black	black	C	350	100	880
24 x 1.75	47-507	Butterfly	20	Full	TT	TW				black	black	C	450	95	830
20 x 2.125	54-406	Tirari	20	Full	TT	TW				black	black	C	320	80	790
20 x 2.125	54-406	Moth	20	Full	TT	TW				black	black	C	280	90	790
20 x 2.125	54-406	Moth	20	Full	TT	TW	2	HE		black	black	C	280	90	860
20 x 2.00	52-406	Teide	20	Full	TT	TW				black	black	C	280	85	750
20 x 2.00	52-406	Teide	20	Full	TT	TW	2	HE		black	black	C	280	85	770
20 x 1.95	50-406	Firefly	20	Full	TT	TW				black	black	C	280	85	750
20 x 1.75 x 2	47-406	Grasshopper	20	Full	TT	TW				black	black	C	350	80	830
20 x 1.75 x 2	47-406	Grasshopper	20	Full	TT	TW	2	HE		black	black	C	350	80	710
20 x 1.75	47-406	Butterfly	20	Full	TT	TW				black	black	C	350	80	660
20 x 1.75	47-406	Ant	20	Full	TT	TW				black	black	C	350	85	670
18 x 2.125	54-355	Tirari	20	Full	TT	TW				black	black	C	320	65	690
18 x 1.95	50-355	Firefly	20	Full	TT	TW				black	black	C	280	75	660
18 x 1.75 x 2	47-355	Grasshopper	20	Full	TT	TW				black	black	C	350	65	620
16 x 2.125	54-305	Butterfly	20	Full	TT	TW				black	black	C	320	85	590
16 x 2.125	54-305	Moth	20	Full	TT	TW				black	black	C	320	85	590
16 x 2.125	54-305	Tirari	20	Full	TT	TW				black	black	C	300	55	590
16 x 1.95	50-305	Firefly	20	Full	TT	TW				black	black	C	280	65	570
16 x 1.75 x 2	47-305	Grasshopper	20	Full	TT	TW				black	black	C	410	60	530
16 x 1.75	47-305	Butterfly	20	Full	TT	TW				black	black	C	350	55	500
16 x 1.75	47-305	Ant	20	Full	TT	TW				black	black	C	350	50	500
14 x 2.125	54-254	Tirari	20	Full	TT	TW				black	black	C	300	50	500
14 x 2.125	54-254	Moth	20	Full	TT	TW				black	black	C	250	70	500
14 x 1.95	50-288	Firefly	20	Full	TT	TW				black	black	C	280	50	470
14 x 1.75 x 2	47-288	Grasshopper	20	Full	TT	TW				black	black	C	410	45	440
12.5 x 2.125	54-203	Tirari	20	Full	TT	TW				black	black	C	250	50	400
12.5 x 2.125	54-203	Butterfly	20	Full	TT	TW				black	black	C	250	30	400
12 x 1.75 x 2	47-203	Grasshopper	20	Full	TT	TW				black	black	C	410	35	350
12 x 1.75 x 2	47-203	Firefly	20	Full	TT	TW				black	black	C	280	40	380
10 x 2,25	56-203	Tirari	20	Full	TT	TW				black	black	C	250	50	310
10 x 1.75 x 2	47-152	Grasshopper	20	Full	TT	TW				black	black	C	275	30	270

TT - Tube type TW - Twisted steel wire HE - Highly elastic compound C - Classic compound

PRODUCT RANGE

Segment	Size	Metric	Pattern	TPI	Sidewall	TR/TT	Bead	Puncture protected	PP material	Reflective stripe	Tread color	Sidewall color	Special compound	Inflation (kPa)	Load (kg)	Weight (g)
City/Tour	700 x 35C	37-622	Atacama	20	Full	TT	TW	2	HE		black	black	C	520	110	900
City/Tour	700 x 32C	32-622	Thar	20	Full	TT	TW				black	tan	C	650	90	640
City/Tour	700 x 32C	32-622	Thar	20	Full	TT	TW				black	black	C	650	90	640
City/Tour	700 x 32C	32-622	Patagonian	20	Full	TT	TW				black	black	C	520	110	700
City/Tour	700 x 28C	28-622	Patagonian	20	Full	TT	TW				black	black	C	520	110	540
City/Tour	29 x 2.00	52-622	Colorado	20	Full	TT	TW				black	black	C	450	110	1170
City/Tour	29 x 2.00	52-622	Colorado	20	Full	TT	TW	1	RC	HiVis Reflex	black	black	C	450	110	1210
City/Tour	29 x 2.00	52-622	Colorado	20	Full	TT	TW				black	cream	C	450	110	1170
City/Tour	29 x 2.00	52-622	Colorado	20	Full	TT	TW				black	white	C	450	110	1170
City/Tour	29 x 2.00	52-622	Colorado	20	Full	TT	TW	2	HE		black	black	C	450	110	1120
City/Tour	28 x 2.10	54-622	Tirari	20	Full	TT	TW				black	black	C	380	125	1200
City/Tour	26 x 2.00	52-559	Colorado	20	Full	TT	TW				black	black	C	450	110	1020
City/Tour	26 x 2.00	52-559	Colorado	20	Full	TT	TW	1	RC	HiVis Reflex	black	black	C	450	110	1070
City/Tour	26 x 2.00	52-559	Colorado	20	Full	TT	TW				black	cream	C	450	110	1020
City/Tour	26 x 2.00	52-559	Colorado	20	Full	TT	TW				black	white	C	450	110	1020
City/Tour	26 x 2.00	52-559	Colorado	20	Full	TT	TW	2	HE		black	black	C	450	110	1290
City/Tour	26 x 1.75 x 2	47-559	Tirari	20	Full	TT	TW				black	black	C	350	120	870
Kids & special	24 x 2.00	52-507	Teide	20	Full	TT	TW				black	black	C	420	105	930
Kids & special	24 x 2.00	52-507	Teide	20	Full	TT	TW	2	HE		black	black	C	420	105	940
Kids & special	24 x 1.95	50-507	Thar	20	Full	TT	TW				black	black	C	550	85	820
Kids & special	24 x 1.75 x 2	47-507	Grasshopper	20	Full	TT	TW				black	black	C	350	100	660
Kids & special	24 x 1.75 x 2	47-507	Grasshopper	20	Full	TT	TW	2	HE		black	black	C	350	100	880
Kids & special	24 x 1.75	47-507	Butterfly	20	Full	TT	TW				black	black	C	450	95	830
Kids & special	20 x 2.125	54-406	Tirari	20	Full	TT	TW				black	black	C	320	80	790
Kids & special	20 x 2.125	54-406	Moth	20	Full	TT	TW				black	black	C	280	90	790
Kids & special	20 x 2.125	54-406	Moth	20	Full	TT	TW	2	HE		black	black	C	280	90	860
Kids & special	20 x 2.00	52-406	Teide	20	Full	TT	TW				black	black	C	280	85	750
Kids & special	20 x 2.00	52-406	Teide	20	Full	TT	TW	2	HE		black	black	C	280	85	770
Kids & special	20 x 1.95	50-406	Firefly	20	Full	TT	TW				black	black	C	280	85	750
Kids & special	20 x 1.75 x 2	47-406	Grasshopper	20	Full	TT	TW				black	black	C	350	80	830
Kids & special	20 x 1.75 x 2	47-406	Grasshopper	20	Full	TT	TW	2	HE		black	black	C	350	80	710
Kids & special	20 x 1.75	47-406	Butterfly	20	Full	TT	TW				black	black	C	350	80	660

20

TT - Tube type TW - Twisted steel wire HE - Highly elastic compound
RC - Reclaimed compound O - Optimal compound C - Classic compound

Segment	Size	Metric	Pattern	TPI	Sidewall	TR/TT	Bead	Puncture protected	PP material	Reflective stripe	Tread color	Sidewall color	Special compound	Inflation (kPa)	Load (kg)	Weight (g)
Kids & special	14 x 2.125	54-254	Tirari	20	Full	TT	TW				black	black	C	300	50	500
Kids & special	14 x 2.125	54-254	Moth	20	Full	TT	TW				black	black	C	250	70	500
Kids & special	14 x 1.95	50-288	Firefly	20	Full	TT	TW				black	black	C	280	50	470
Kids & special	14 x 1.75 x 2	47-288	Grasshopper	20	Full	TT	TW				black	black	C	410	45	440
Kids & special	12.5 x 2.125	54-203	Tirari	20	Full	TT	TW				black	black	C	250	50	400
Kids & special	12.5 x 2.125	54-203	Butterfly	20	Full	TT	TW				black	black	C	250	30	400
Kids & special	12 x 1.75 x 2	47-203	Grasshopper	20	Full	TT	TW				black	black	C	410	35	350
Kids & special	12 x 1.75 x 2	47-203	Firefly	20	Full	TT	TW				black	black	C	280	40	380
Kids & special	10 x 2,25	56-203	Tirari	20	Full	TT	TW				black	black	C	250	50	310
Kids & special	10 x 1.75 x 2	47-152	Grasshopper	20	Full	TT	TW				black	black	C	275	30	270

TT - Tube type TW - Twisted steel wire HE - Highly elastic compound
RC - Reclaimed compound O - Optimal compound C - Classic compound

NOTES




RALSON TUBES

Size range	Size	Size metric	Valve size AV		Valve size DV		Valve size FV		Valve size SV	Flat Width (mm)	Gauge (mm)	Weight without valve (g)
29"	29 x 1,95-2.50	50/64-622	40	48			47	60	48	50	0,90	221
29"	28/29 x 1.75-2.25	44/57-622	40	48			47	60	48	44	0,90	193
28"	28 x 1.25-1.75	32/44-622/635	40	48	40		47			38	0,90	166
28"	700 x 18/28C	18/28-622/635					47	60		24	0,90	101
27.5"	27.5 x 1,95-2.50	50/64-584	40	48			47	60	48	50	0,90	209
27.5"	27.5 x 1.75-2.25	44/57-584/597	40	48			47	60	48	44	0,90	182
27.5"	26 x 1_3/8	32/44-584/597	40		40					38	0,90	158
26"	26 x 1.75-2.25	44/57-559	40	48	40		47			44	0,90	175
26"	24 x 1_3/8	32/44-540/559	40		40					38	0,90	146
24"	24 x 1.75-2.25	44/57-507	40		40					44	0,90	161
20"	20 x 1.75-2.25	44/57-406	40		40					44	0,90	131
18"	18 x 1.75-2,25	44/57-355	40		40					44	0,90	117
16"	16 x 1.75-2.25	44/57-305	40		40					44	0,90	101
14"	14 x 1.75-2.25	44/57-254/288	40		40					44	0,90	86
12,5"	12,1/2 x 1.75-2.25	44/57-203	35		35					44	0,90	71
10"	10 x 1.75-2.00	—			45/45				45/45	39	1,20	64

Valve weights (g)

AV35	AV40	AV48	DV35	DV40	FV47	FV60	SV40	SV45/45	DV45/45
4	6	8	5	7	5	8	8	9	9



RALSON
TIRES TREAD NEW PATHS



Zleen Europe s.r.o.
Antala Staška 2027/79
140 00 Prague 4
Czech Republic

+420 242 443 422
ralson.cares@ralson.com
eu.ralson.com